

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A dropper cap for dispensing liquids in the form of drops from a container, the content of which can be put under pressure for dispensing, of the type having a cap body in which a discharge channel having an intake opening and a restrictor device is arranged, the improvement comprising the restrictor device being disposed upstream of the intake opening of the discharge channel and the dropper cap having a bottom wall and a chamber wall that define an intermediate chamber located between the restrictor device and the intake opening.

2. Cancelled

3. Cancelled

4. (Previously Presented) The dropper cap as claimed in Claim 1 wherein the intermediate chamber and the discharge channel each have a volume and the volume of the intermediate chamber is greater than or equal to the volume of the discharge channel.

5. Cancelled.

6. (Previously Presented) The dropper cap as claimed in Claim 1 wherein the restrictor device is disposed in the chamber wall.

7. (Previously Presented) The dropper cap as claimed in Claim 1 wherein the restrictor device has at least one passage opening whose cross section is smaller than the cross section of the intake opening of the discharge channel.

8. (Previously Presented) The dropper cap as claimed in Claim 1 wherein the restrictor device has at least one passage opening and the passage opening lies opposite the intake opening.

9. (Previously Presented) The dropper cap as claimed in Claim 1 wherein the restrictor device has at least one passage opening and the passage opening is offset relative to the intake opening.

10. (Currently Amended) The dropper cap as claimed in Claim 1 wherein the chamber wall comprises an annular wall [and a partition wall] and the restrictor device is positioned in the bottom [partition] wall.

11. (Previously Presented) The dropper cap as claimed in Claim 5, wherein the chamber wall is molded onto the cap body.

12. (Previously Presented) A container for receiving a liquid that can be put under pressure for dispensing the liquid from the container, the container having at least one container wall which can enclose the liquid and a container neck attached to the container wall, the container neck holding a dropper cap for dispensing liquids in the form of drops the dropper cap comprised of a cap body in which a discharge channel having an intake opening and a restrictor device is arranged, and the restrictor device is disposed upstream of the intake opening of the discharge channel, the dropper cap having a bottom wall and a chamber wall that define an intermediate chamber located between the restrictor device and the intake opening.

13. (Currently Amended) A container for receiving a liquid which can be put under pressure for dispensing [it] the liquid from the container, the container of [the] a type having a wall with an interior surface and a container neck for receiving a dropper cap for dispensing a liquid in the form of drops, with a cap body in which a discharge channel having an intake opening is arranged, further comprising a partition wall attached to the interior surface of the wall, in which partition wall [the] a restrictor device is provided.

14. (Previously Presented) The container as claimed in Claim 13 wherein the partition wall is located in the container neck.

15. (Previously Presented) The container as claimed in Claim 13 wherein the partition wall is arranged perpendicular to a longitudinal axis of the container.

16. (Previously Presented) The container as claimed in Claim 13 wherein the restrictor device comprises at least one passage opening in the partition wall whose cross section is smaller than a cross section of the intake opening of the discharge channel.

17. (Previously Presented) The container as claimed in Claim 16 wherein the passage opening lies opposite the intake opening.

18. (Previously Presented) The container as claimed in Claim 16 wherein the passage opening is offset relative to the intake opening.

19. (Previously Presented) The container as claimed in Claim 13 wherein the discharge channel has a volume and the partition wall is arranged in such a way to define a chamber between the dropper cap and the partition wall, the chamber having a volume greater than or equal to the volume of the discharge channel.

20. (Previously Presented) The container as claimed in Claim 12 wherein at least a portion of the at least one container wall is flexible.

21. (Cancelled)

22. (Cancelled)

23. (Original) The container as claimed in Claim 12 wherein the intermediate chamber and the discharge chamber each have a volume and the volume of the intermediate chamber is greater than or equal to the volume of the discharge channel.

24. (Original) The container as claimed in Claim 12 wherein the restrictor device is disposed in the chamber wall.

25. (Original) The container as claimed in Claim 12 wherein the restrictor device has at least one passage opening whose cross section is smaller than the cross section of the intake opening of the discharge channel.

26. (Original) The container as claimed in Claim 12 wherein the restrictor device has at least one passage opening and the passage opening lies opposite the intake opening.

27. (Original) The container as claimed in Claim 12 wherein the restrictor device has at least one passage opening and the passage opening is offset relative to the intake opening.

28. (Original) The container as claimed in Claim 12 wherein the chamber wall comprises an annular wall and a partition wall and the restrictor device is positioned in the partition wall.

29. (Original) The container as claimed in Claim 12, wherein the chamber wall is molded onto the cap body.

30. (Original) The container as claimed in Claim 13 wherein at least a portion of the container wall is flexible.

31. (Cancelled)

32. (Cancelled)